



## **Combined neutron and rheological studies of polymer networks, revealing shear-controlled texturing and shear-induced instabilities (invited paper)**

**Mortensen, K.**

*Publication date:*  
2005

*Document Version*  
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

*Citation (APA):*  
Mortensen, K. (2005). *Combined neutron and rheological studies of polymer networks, revealing shear-controlled texturing and shear-induced instabilities (invited paper)*. Abstract from International symposium on polymer co-networks, gels and membranes, Budapest (HU), 11-13 Sep.

---

### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.


## Combined neutron and rheological studies of polymer networks, revealing shear-controlled texturing and shear-induced instabilities

Kell Mortensen

Danish Polymer Centre Risø National Laboratory Roskilde Denmark

[kell.mortensen@risoe.dk](mailto:kell.mortensen@risoe.dk)

Combined studies of small-angle scattering and oscillatory-shear instrumentation are effective tools for studying structure and real-time dynamics of soft matter materials.



**Fig. 1** Shear diagram of the bcc phase of a SEBS block copolymer micellar network, showing the different crystal orientations that emerge as a result of mechanical treatment [1,2].

Applying well-controlled large-amplitude oscillatory shear can be used to effectively control the texture of soft matter materials in the ordered states<sup>1</sup>. An example is the unique control one may have on the lamellae orientations in LAM-ordered, symmetric diblock copolymers. A related example is the body-centered-cubic phase of diblock copolymer melts as well as block copolymer micellar gels, showing remarkably related shear dependent texture: Detailed crystallographic studies show that both intermediate-amplitude oscillatory shear and large-amplitude oscillatory shear lead to twin structures with  $\{112\}$  planes sharing neighboring twins and  $(111)$  axes parallel to the shear flow [2]. At high shear amplitude, the shear plane is parallel to the  $\{110\}$  crystallographic planes, while at moderate shear-amplitude the shear-plane is rotated  $90^\circ$ , viz parallel to the  $\{112\}$  twin-planes. The low-amplitude shear-texture is dominated by  $\{001\}$  planes perpendicular to the shear gradient and by the  $(110)$  axis parallel to the flow-direction. Shear, however, may not only influence the texture. Shear may also affect the thermodynamic ground state, causing shear-induced ordering and disordering (melting), and shear-induced order-to-order transitions. Examples are the shear-induced bcc-to-fcc transition in block copolymer micellar networks, shear-induced ordering in diblock copolymer melts and shear-induced destabilization of the complex gyroid state [3].

### References:

- [1] K Mortensen, E Theunissen, R Kleppinger, K Almdal, H Reynaers. *Macromolecules* **35**, 7773 (2002)
- [2] K Mortensen *J. Polymer Science B: Polymer Physics*, **42**, 3095 (2004)
- [3] R Eskimergen, K Mortensen, M E. Vigild *Macromolecules* **38**, 1286 (2005)